

# TELLUS POWER GREEN WALLBOX AC CHARGERS

## 11 kW and 22kW



### FEATURES

- Option for Dual and Single Connector with wide range of power capacities
- Charges Two Vehicles Faster
- Affordable, Best Value EV Charging - Get a Dual Port Networked Charging Station for the price of the competition's Single Port Station.
- Low Cost, High-Performance Networked Electric Vehicle Charging Stations
- Screen with Voltage/Current/Time etc. Information.
- OCPP 1.6J Compliant
- RFID Reader
- CE Certified Design

## Tellus Power Green AC Wall Box Charger Specifications



Rated Power	1 x 11 kW	2 x 11 kW	1 x 22 kW	2 x 22 kW
Product #	TP2-11-400-1	TP2-11-400-2	TP2-22-400-1	TP2-22-400-2
Input    Output Voltage	380VAC to 440VAC (3P + N + PE)    50 Hz			
Output Current	1 x (3 x 16) Amps	2 x (3 x 16) Amps	1 x (3 x 32) Amps	2 x (3 x 32) Amps
Weight	~18 Kgs	~24 Kgs	~20 Kgs	~26 Kgs
Cable Length	5m / Socket (Type2)			
Working Temp	-30°C to 55°C			
Relative Humidity	5% ~ 95% Non-Condensing			
Altitude	≤3000m			
Material	Carbon Steel			
IP Grade	IP54			
RFID system	ISO/IEC 14443 A/B			
Communication Protocol	OCPP 1.6J			
Dimension (L x D x H)	410 x 230 x 150 mm			
Communication Mode	Ethernet (Standard)    3G/4G/WIFI (Optional)			
Meter Accuracy	1%			
User Interface	LCD Screen			
Installation Type	Wallbox			
Industry Standard	EN 61851-1:2011, EN 61000-6-1:2007, EN 61000-6-3:2007/A1:2011/AC:2012			
Certification	CE			
Safety	Over Current, Short Circuit, Surge Protection, Leakage Current Protection			
Accessories	Wall mounting brackets			

